

10/044, 279

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|---|--|------------------|
| 1 | 4 | 427/286[ccls] and (((different differing) near3 compositions) with adjacent) | USPAT; EPO; JPO; DERWENT | 2004/03/12 13:42 |
| - | 2065 | ((427/355) or (427/359) or (427/444) or (118/100) or (118/110) or (118/dig.15)).CCLS. | USPAT; EPO; JPO; DERWENT | 2004/03/09 16:22 |
| - | 9 | ((427/355) or (427/359) or (427/444) or (118/100) or (118/110) or (118/dig.15)).CCLS.) and ((mayer meyer wire\$1wound) near3 rod) | USPAT; EPO; JPO; DERWENT | 2004/03/09 16:32 |
| - | 7 | ("1043021").PN. | USPAT; EPO; JPO; DERWENT | 2004/03/09 16:51 |
| - | 2 | ("1939012").PN. | USPAT; EPO; JPO; DERWENT | 2004/03/09 16:31 |
| - | 24 | ((mayer meyer wire\$1wound) near3 rod) same coat\$3 same (stick\$3 stuck pick\$4up) | USPAT; EPO; JPO; DERWENT | 2004/03/09 16:33 |
| - | 760 | (uniform uniformity smooth\$3 post\$1treat\$4) same (mayer meyer wire\$1wound) | USPAT; EPO; JPO; DERWENT | 2004/03/10 09:50 |
| - | 425 | (uniform uniformity smooth\$3 post\$1treat\$4) same (mayer meyer wire\$1wound) same coat\$3 | USPAT; EPO; JPO; DERWENT | 2004/03/10 10:04 |
| - | 752 | ((multiple plural several) with (coatings coats layers)) and ((applicator applied applied applying coating) with (wire\$1wound Mayer Meyer)) | USPAT; EPO; JPO; DERWENT | 2004/03/10 10:06 |
| - | 83 | ((multiple plural several) with (coatings coats layers)) same ((applicator applied applied applying coating) with (wire\$1wound Mayer Meyer)) | USPAT; EPO; JPO; DERWENT | 2004/03/10 10:12 |
| - | 984 | ((multiple plural several two "at least") with (wire\$1wound Mayer Meyer)) | USPAT; EPO; JPO; DERWENT | 2004/03/10 10:13 |
| - | 818 | ((multiple plural two "at least") with (wire\$1wound Mayer Meyer)) | USPAT; EPO; JPO; DERWENT | 2004/03/10 10:13 |
| - | 814 | ((multiple plural two) with (wire\$1wound Mayer Meyer)) | USPAT; EPO; JPO; DERWENT | 2004/03/10 10:13 |
| - | 120 | ((multiple plural) with (wire\$1wound Mayer Meyer)) | USPAT; EPO; JPO; DERWENT | 2004/03/10 10:20 |
| - | 1 | 2002-203223.NRAN. | DERWENT | 2004/03/10 10:14 |
| - | 1 | ((multiple plural) with (wire\$1wound Mayer Meyer)) with (rotat\$3 revolv\$3) | USPAT; EPO; JPO; DERWENT | 2004/03/10 10:15 |
| - | 61 | ((applicator application applied applying) ((application applying) near3 means))) same ((multiple plural two) with ((wire\$1wound meyer mayer) near3 (bar rod))) | USPAT; EPO; JPO; DERWENT | 2004/03/10 10:23 |
| - | 56 | ((applicator application applied applying) ((application applying) near3 means))) same ((multiple plural two) with ((wire\$1wound meyer mayer) near3 (bar rod))) same coat\$3 | USPAT; EPO; JPO; DERWENT | 2004/03/10 11:02 |
| - | 26 | ((applicator application applied applying) ((application applying) near3 means))) same ((multiple plural two) with ((wire\$1wound meyer mayer) near3 (bar rod))) same coat\$3 | USOCR | 2004/03/10 11:05 |
| - | 15 | 101/\$[ccls] and ((wire\$1wound meyer mayer) near3 (bar rod)) | USOCR | 2004/03/10 11:05 |
| - | 124 | 101/\$[ccls] and ((wire\$1wound meyer mayer) near3 (bar rod)) | USPAT; EPO; JPO; DERWENT; IBM TDB | 2004/03/10 11:07 |

WPF 3/12/2004

| | | | | |
|---|----|--|--|------------------|
| - | 57 | ((wire\$1wound meyer mayer) near3 (bar rod)) same (pick\$1up stick\$3 stuck) | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2004/03/10 11:08 |
| - | 48 | ((wire\$1wound meyer mayer) near3 (bar rod)) same (pick\$1up stick\$3 stuck) same coat\$3 | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2004/03/10 11:08 |
| - | 9 | ((wire\$1wound meyer mayer) near3 (bar rod)) with (pick\$1up stick\$3 stuck) same coat\$3 | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2004/03/10 11:09 |
| - | 34 | ((("1043021") or ("2105488") or ("2105981") or ("2229620") or ("2229621") or ("2237045") or ("2237068") or ("2245045") or ("3018757") or ("3920862") or ("4020194") or ("4267215") or ("4378390") or ("4569864") or ("4748043") or ("4830873") or ("5326598") or ("5332797") or ("5447474") or ("5460120") or ("5536314") or ("5620514") or ("5585545") or ("5599602") or ("5708527") or ("5733608") or ("5871585") or ("5954907") or ("6117237") or ("3718117") or ("4102301") or ("4354449") or ("3169081") or ("5409732"))).PN. | USPAT | 2004/03/10 11:24 |
| - | 1 | ("3304910").PN. | USPAT | 2004/03/10 11:15 |
| - | 3 | ((("2066780") or ("3196784") or ("2100587"))).PN. | USPAT | 2004/03/10 11:27 |
| - | 0 | (coating adj material) with (picked\$1up sticks\$1to) with (wire\$1wound meyer mayer) | USPAT; EPO; JPO; DERWENT | 2004/03/10 11:28 |
| - | 0 | (picked\$1up sticks\$1to) with (wire\$1wound meyer mayer) | USPAT; EPO; JPO; DERWENT | 2004/03/10 11:29 |
| - | 0 | (picked\$1up stick\$4to stuck\$1to) with (wire\$1wound meyer mayer) | USPAT; EPO; JPO; DERWENT | 2004/03/10 11:32 |
| - | 3 | ((multiple plural several) near3 (coat\$3 layer)) and (((first base primary) near3 (coat\$3 layer)) with (wet un\$1cured)) and (((second top next subsequent) near3 (coat\$3 layer)) same (wire\$1wound meyer mayer)) | USPAT; EPO; JPO; DERWENT | 2004/03/10 11:40 |
| - | 1 | ("4102301").PN. | USPAT | 2004/03/10 12:53 |
| - | 19 | (wire\$1wound meyer mayer) same (transferred transported carried) same around | USPAT; EPO; JPO; DERWENT | 2004/03/10 16:44 |
| - | 1 | (wire\$1wound meyer mayer) with (doctor scraper) with remov\$4 | USPAT; EPO; JPO; DERWENT | 2004/03/12 13:42 |

Inventor Name Search Result

Your Search was:

10/044,279

Last Name = LEONARD
First Name = WILLIAM K.

| Application# | Patent# | Status | Date Filed | Title | Inventor Name 23 |
|--------------------------|-------------------------|--------|------------|---|----------------------|
| 09185991 | Not Issued | 161 | 11/04/1998 | APPARATUS AND METHOD FOR APPLYING FLUID TO A MOVING WEB OF MATERIAL | LEONARD , WILLIAM K. |
| 09061262 | 5984988 | 150 | 04/17/1998 | SHAPED ABRASIVE PARTICLES AND METHOD OF MAKING SAME | LEONARD , WILLIAM K. |
| 08832934 | Not Issued | 161 | 04/04/1997 | CONTINUOUS FLUID FLOW CHEMICAL ALTERATION PROCESS | LEONARD , WILLIAM K. |
| 08585264 | 5641544 | 150 | 01/11/1996 | METHOD AND APPARATUS FOR APPLYING THIN FLUID COATINGS | LEONARD , WILLIAM K. |
| 08585263 | 5733608 | 150 | 01/11/1996 | METHOD AND APPARATUS FOR APPLYING THIN FLUID COATING STRIPES | LEONARD , WILLIAM K. |
| 08534183 | 5599602 | 150 | 09/26/1995 | DOUBLE-SIDED PRESSURE-SENSITIVE ADHESIVE TAPE AND METHOD OF MAKING | LEONARD , WILLIAM K. |
| 08527141 | Not Issued | 163 | 09/12/1995 | LAMINATION PROCESS FOR COATINGS | LEONARD , WILLIAM K. |
| 08459311 | 5587184 | 150 | 06/02/1995 | COATING DIE WITH SLOT THICKNESS CONTROL | LEONARD , WILLIAM K. |
| 08412758 | 5589122 | 150 | 03/29/1995 | METHOD OF MAKING DOUBLE-SIDED PRESSURE-SENSITIVE ADHESIVE TAPE | LEONARD , WILLIAM K. |
| 08382964 | 5506000 | 150 | 02/02/1995 | SLOT COATING METHOD AND APPARATUS | LEONARD , WILLIAM K. |
| 08382963 | 5525376 | 150 | 02/02/1995 | MULTIPLE LAYER COATING METHOD | LEONARD , WILLIAM K. |
| 08382962 | Not Issued | 166 | 02/02/1995 | METHOD AND APPARATUS FOR APPLYING THIN FLUID COATINGS | LEONARD , WILLIAM K. |
| 08382689 | 5505995 | 150 | 02/02/1995 | METHOD AND APPARATUS FOR COATING SUBSTRATES USING AN AIR KNIFE | LEONARD , WILLIAM K. |
| 08382623 | Not Issued | 166 | 02/02/1995 | METHOD AND APPARATUS FOR APPLYING THIN FLUID COATING STRIPES | LEONARD , WILLIAM K. |
| 08235423 | Not Issued | 163 | 04/29/1994 | PRECISION COATING PROCESS FOR PREPARING POLYMERIZABLE FILMS | LEONARD , WILLIAM K. |
| 08235366 | Not Issued | 161 | 04/29/1994 | LAMINATION PROCESS FOR COATINGS | LEONARD , WILLIAM K. |
| 08177152 | 5464577 | 150 | 01/04/1994 | METHOD OF THICKNESS CONTROL FOR DIES | LEONARD , WILLIAM K. |
| 08166549 | Not Issued | 166 | 12/14/1993 | DOUBLE-SIDED PRESSURE-SENSITIVE ADHESIVE TAPE AND METHOD OF MAKING | LEONARD , WILLIAM K. |
| 08160445 | 5409732 | 150 | 12/01/1993 | ROLL GAP CONTROLLER FOR REGULATING COATING THICKNESS | LEONARD , WILLIAM K. |
| 07991996 | 5304331 | 150 | 12/17/1992 | METHOD AND APPARATUS FOR EXTRUDING BINGHAM PLASTIC-TYPE MATERIALS | LEONARD , WILLIAM K. |
| 07919179 | 5201916 | 150 | 07/23/1992 | SHAPED ABRASIVE PARTICLES AND METHOD OF MAKING SAME | LEONARD , WILLIAM K. |
| 07918360 | Not Issued | 163 | 07/23/1992 | SHAPED ABRASIVE PARTICLES AND METHOD OF MAKING SAME | LEONARD , WILLIAM K. |
| 07861281 | Not Issued | 166 | 03/31/1992 | ROLL GAP CONTROLLER | LEONARD , WILLIAM K. |

Inventor Search Completed: No Records to Display.

Search Another: Inventor

| | | |
|--------------------------------------|---|---------------------------------------|
| Last Name | First Name | |
| <input type="text" value="LEONARD"/> | <input type="text" value="WILLIAM K."/> | <input type="button" value="Search"/> |

WPF 3/12/2004

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)